



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/784,146	02/20/2004	Saurab Nog	MS1-1854US	5385
22801	7590	05/12/2008		
LEE & HAYES PLLC 421 W RIVERSIDE AVENUE SUITE 500 SPOKANE, WA 99201			EXAMINER JAKOVAC, RYAN J	
			ART UNIT 2145	PAPER NUMBER
			MAIL DATE 05/12/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/784,146

Applicant(s)

NOG ET AL

Examiner

RYAN J. JAKOVAC

Art Unit

2145

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03/21/2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4, 7, 9-15, 17-20, 24-28, 31, 33, 35-38 are pending is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 7, 9-15, 17-20, 24-28, 31, 33, 35-38 are pending is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. Claims 1-4, 7, 9-15, 17-20, 24-28, 31, 33, 35-38 are pending

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-4, 7, 9-15, 17-20, 24-28, 31, 33, 35-38 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. 6,392,997 to Chen.

Regarding claim 1, Chen teaches a method comprising: receiving a message at a routing node in an overlay network (Chen, col. 1, line 40-60. peer routers exchange contents of routing tables (i.e. plurality of message received at router).); and generating a routing policy for another node based at least in part on content of the message, wherein the routing policy comprises instructions for redirecting messages based at least in part on the content of the message (Chen, col. 1 line 40-60, also, Col. 3, line 1-40, update messages (i.e. reflecting routing policy) are generated and sent to peer routers based on the update messages and the routing table values.); returning the routing policy to the sending node (Chen, col. 1 line 40-60, update messages stored at router.); and forwarding the message to another node in the overlay network (Chen, col. 1 line 40-60, update messages are generated and sent to peer routers.).

Regarding claim 2, 3, 4, Chen teaches the method of claim 1, further comprising modifying the address of the message, and generating the routing policy based on the modified address (Chen, Col. 3, line 1-40, messages are sent to peer routers, each receiving a routing message update (i.e. routing policy) accordingly.).

Regarding claim 7, 10-15, 17-20, 24-28, 31, 33, 35-38, Chen teaches a method comprising: identifying by a node at least one routing policy for a message, wherein the routing policy comprises instructions for redirecting messages based at least in part on content of the body of the message (Chen, col. 1 line 40-60, also, Col. 3, line 1-40, update messages (i.e. reflecting routing policy) are generated and sent to peer routers based on the update messages and the routing table values. See also col. 1, line 40-60. peer routers exchange contents of routing tables (i.e. plurality of message received at router.)); and changing an address in the message to bypass at least one node in an overlay network based on the at least one routing policy (Chen, Col. 3, line 20-40, messages transmitted directly to each neighbor (i.e. bypassing.)); and issuing the message directly to a destination node in the overlay network (Chen, Col. 3, line 20-40, messages transmitted directly to each neighbor.).

Regarding claim 9, Chen teaches the method of claim 7, further comprising iteratively applying by the node a plurality of routing policies to the message, each of the plurality of routing policies modifying the address of the message (Chen, the router receives update

messages from its peer routers which it uses to formulate routing policies for each of the peer routers. The router then sends the routing policies out to the peer routers.).

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 1-4, 15, 17-19, and 25-28 are rejected under 35 U.S.C. 102(e) as being anticipated by US 20050086469 to Dunagan et al (hereinafter Dunagan).

Regarding claim 1, Dunagan teaches a method comprising: receiving a message at a routing node in an overlay network (Paragraph [0005], Node in the overlay network receives a message.); and generating a routing policy for another node based at least in part on content of the message, wherein the routing policy comprises instructions for redirecting messages based at least in part on the content of the message (Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.); returning the routing policy to the sending node (Paragraph [0016], The last node receives back a message indicating a routing policy change from its previously policy of sending subscription messages

Art Unit: 2145

towards a root node.); and forwarding the message to another node in the overlay network (Paragraph [0014], The subscriber node is forwarded messages from the sending node of a secondary tree. See also Fig. 2a.).

Regarding claim 2, Dunagan teaches the method of claim 1, further comprising modifying the address of the message, and generating the routing policy based on the modified address (Paragraph [0016], The last node in the first organization modifies the message. By modifying the message, the last node generates a routing policy by indicating that messages should be forwarded directly to it by the first node in the root organization.).

Regarding claim 3, Dunagan teaches the method of claim 1, further comprising passing the message to the application level at the routing node to process the message (Paragraph [0096], [0085-0086], The failure notification service generates routing policy involving a group ID that is used to route failure notification messages to nodes in the failure notification group.).

Regarding claim 4, Dunagan teaches the method of claim 1, wherein generating the routing policy is at an application level in the routing node (Paragraph [0096], [0085-0086], The failure notification service generates routing policy involving a group ID that is used to route failure notification messages to nodes in the failure notification group.).

Regarding claim 15, Dunagan teaches a system comprising: a routing node receiving a message in an overlay network (Paragraph [0005], node in the overlay network receives a

message.); routing table operatively associated with the routing table; and a message processor at the routing node (Paragraph [0056], Each computer in the multicast group is a node. Paragraph [0041], The computer has a processing unit. The “message processor” is the processing unit of each node), the message processor generating a routing policy for another node of the message, wherein the routing policy comprises instructions for redirecting messages based at least in part on content of the body of the message, the message processor generating the routing policy based on entries in the routing table ((Paragraph [0056], Each computer in the multicast group is a node. Paragraph [0041], The computer has a processing unit. The “message processor” is the processing unit of each node) generating the routing policy based on entries in the routing table. Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.).

Regarding claim 17, Dunagan teaches the system of claim 15, wherein the routing node includes a messaging level (Paragraph [0005], The node in the overlay network receives a message.) and an application level (Paragraph [0085], The failure notification service installed on each node), the routing node generating the routing policy at the application level (Paragraph [0096], [0085-0086], The failure notification service generates routing policy involving a group ID that is used to route failure notification messages to nodes in the failure notification group.).

Regarding claim 18, Dunagan teaches the system of claim 15, wherein the routing node includes a messaging level (Paragraph [0005], The node in the overlay network receives a message.) and an application level (Paragraph [0085], The failure notification service installed

on each node), the routing node returning the routing policy to a sending node at the messaging level (Paragraph [0016], The last node receives back a message indicating a routing policy change from its previously policy of sending subscription messages towards a root node.).

Regarding claim 19, Dunagan teaches the system of claim 19, wherein the routing node includes a messaging level (Paragraph [0005], The node in the overlay network receives a message.) and an application level (Paragraph [0085], The failure notification service installed on each node), the routing node forwarding the message to another node in the overlay network at the messaging level (Paragraph [0005], The node looks at the ID of the intended recipient, which is contained in the message, then forwards the message to the associated node.).

Regarding claim 25, Dunagan teaches a computer program storage medium storing a computer program for executing on a computer system a computer process, the computer process comprising: receiving a message at a routing node in an overlay network (Paragraph [0005], node in the overlay network receives a message.); and generating a routing policy for another node of the message, wherein the routing policy comprises instructions for redirecting messages bases at least in part on the content of the body of the message (Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.); returning the routing policy to the sending node (Paragraph [0016], The last node receives back a message indicating a routing policy change from its previously policy of sending subscription messages towards a root node.); and forwarding the message to another node in the

Art Unit: 2145

overlay network (Paragraph [0014], The subscriber node is forwarded messages from the sending node of a secondary tree. See also Fig. 2a.).

Regarding claim 26, Dunagan teaches the computer program storage medium of claim 25 wherein the computer process further comprises identifying an address to route the message (Paragraph [0005], The node looks at the ID of the intended recipient to identify an address.), and generating the routing policy based on the address (Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.).

Regarding claim 27, Dunagan teaches the computer program storage medium of claim 25 wherein the computer process further comprises passing the message to the application level at the routing node to process the message (Paragraph [0096], [0085-0086], The failure notification service generates routing policy involving a group ID that is used to route failure notification messages to nodes in the failure notification group.).

Regarding claim 28, Dunagan teaches the computer program storage medium of claim 25 wherein the computer process further comprises generating the routing policy at an application level in the routing node (Paragraph [0096], [0085-0086], The failure notification service generates routing policy involving a group ID that is used to route failure notification messages to nodes in the failure notification group.).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 7, 9-14, 21, 24, 31, 33, 35-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dunagan in view of US 20040054807 to Harvey et al (hereinafter Harvey).

Regarding claim 7, Dunagan teaches a method comprising: identifying by a node at least one routing policy for a message, wherein the routing policy comprises instructions for redirecting messages based at least in part on content of the body of the message (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.); and changing an address in the message (Dunagan, Paragraph [0016], When the node belonging to the root organization receives a message from the first organization the address is changed from the node belonging to the root organization to the last node in the first organization.) Dunagan does not teach but Harvey teaches to bypass at least one node in an overlay network based on the at least one routing policy (Harvey, paragraph [0065], Nodes in an overlay network are sorted into a linked list. When routing a message to its final destination, multiple rings are used that “skip” over various members of the sorted list of nodes.); and Dunagan teaches issuing the message directly to a destination node in the overlay network (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message, then forwarding the message to the associated node.);

Therefore it would have been obvious at the time of invention to combine identifying at least one routing policy for a message based on content of the message; and changing an address in the message to bypass at least one node in an overlay network based on the at least one routing policy as taught by Harvey with the method of Dunagan in order to improve routing performance in an overlay network and to find a desired end destination node more quickly (Harvey, paragraph [0065]).

Regarding claim 9, the combination of Dunagan and Harvey teaches the method of claim 7, further comprising iteratively applying by the node a plurality of routing policies to the message, each of the plurality of routing policies modifying the address in the message (Dunagan, Paragraph [0013], The nodes of the primary tree transmit the whole message, whereas the nodes of the parallel trees transmit a digest of the message. Each node along the path applies its own routing policy based on the ID listed in routing tables, paragraph [0005]. See also, paragraph [0016].).

Regarding claim 10, the combination of Dunagan and Harvey teaches the method of claim 7, further comprising receiving the at least one routing policy at a sending node in the overlay network (Dunagan, Fig. 2a, Node three receives routing policy (ID contained within message, paragraph [0005].) and forwards the message to node six).

Regarding claim 11, the combination of Dunagan and Harvey teaches the method of claim 7, further comprising receiving a plurality of routing policies at a sending node from a

plurality of routing nodes in the overlay network (Dunagan, Paragraph [0077], Multiple subscription messages are received by the node becoming the new root node. The subscription messages denote routing policy to the node since it must now function as a root node.).

Regarding claim 12, the combination of Dunagan and Harvey teaches the method of claim 7, wherein identifying at least one routing policy is based at least in part on the address of the message (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.).

Regarding claim 13, the combination of Dunagan and Harvey teaches the method of claim 7, further comprising applying a transport policy to the message after changing the address in the message (Dunagan, Paragraph [0016], After the last node in the first organization modifies the message it applies a transport policy by indicating that topic messages should be forwarded directly to it by the first node in the root organization to receive the subscription message).

Regarding claim 14, the combination of Dunagan and Harvey teaches the method of claim 7, further comprising applying a transport policy to the message only after applying each identified routing policy to the message (Dunagan, Paragraph [0005], Routing policies are applied to the message along the routing path. Paragraph [0016], After the last node in the first organization modifies the message it applies a transport policy by indicating that topic messages should be forwarded directly to it by the first node in the root organization to receive the subscription message).

Regarding claim 20, Dunagan teaches a system comprising: at least one routing policy for a message, wherein the at least one routing policy is generated by at least one routing node in the overlay network, wherein the routing policy comprises instructions for redirecting messages (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.); a policy manager to identify the at least one routing policy to the messaging module based at least in part on content of the body of the message (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message, and uses this to send the message.); and a messaging module changing an address in the message at the sending node (Dunagan, Paragraph [0016], When the node belonging to the root organization receives a message from the first organization the address is changed from the node belonging to the root organization to the last node in the first organization.) Dunagan does not teach but Harvey teaches to bypass at least one node in an overlay network based on the at least one routing policy (Harvey, paragraph [0065], Nodes in an overlay network are sorted into a linked list. When routing a message to its final destination, multiple rings are used that “skip” over various members of the sorted list of nodes.) Dunagan teaches so that the message is issued directly to a destination node in the overlay network (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message, then forwarding the message to the associated node.).

Therefore it would have been obvious at the time of invention to combine identifying at least one routing policy for a message based on content of the message; and changing an address

in the message to bypass at least one node in an overlay network based on the at least one routing policy as taught by Harvey with the system of Dunagan in order to improve routing performance in an overlay network and to find a desired end destination node more quickly (Harvey, paragraph [0065]).

Regarding claim 24, the combination of Dunagan and Harvey teaches the system of claim 20, further comprising a transport policy identifying a transport protocol for the message based on the address in the message (Dunagan, Paragraph [0050], The event notification message embodied in a standard XML data structure, and transmitted in a User Datagram Protocol (UDP) packet or Transmission Control Protocol (TCP) stream.).

Regarding claim 31 Dunagan teaches a computer program storage medium storing a computer program for executing on a computer system a computer process, the computer process comprising: identifying at least one routing policy for a message, wherein the routing policy comprises instructions for redirecting messages based at least in part on content of the body of the message (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.); changing an address in the message (Dunagan, Paragraph [0016], When the node belonging to the root organization receives a message from the first organization the address is changed from the node belonging to the root organization to the last node in the first organization.) Dunagan does not teach but Harvey teaches to bypass at least one node in an overlay network based on the at least one routing policy (Harvey, paragraph [0065], Nodes in an overlay network are sorted into a linked list. When

routing a message to its final destination, multiple rings are used that “skip” over various members of the sorted list of nodes.); Dunagan teaches issuing the message in the overlay network directly to a destination node (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message, then forwarding the message to the associated node.); and sending the at least one routing policy to a sending node in the overlay network (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message, then forwarding the message to the associated node.).

Therefore it would have been obvious at the time of invention to combine identifying at least one routing policy for a message based on content of the message; and changing an address in the message to bypass at least one node in an overlay network based on the at least one routing policy as taught by Harvey with the method of Dunagan in order to improve routing performance in an overlay network and to find a desired end destination node more quickly (Harvey, paragraph [0065]).

Regarding claim 33, the combination of Dunagan and Harvey teaches the computer program storage medium of claim 31 wherein the computer process further comprises iteratively applying a plurality of routing policies to the message, each of the plurality of routing policies changing the address in the message (Dunagan, Paragraph [0013], The nodes of the primary tree transmit the whole message, whereas the nodes of the parallel trees transmit a digest of the message. Each node along the path applies its own routing policy based on the ID listed in routing tables, paragraph [0005].).

Regarding claim 35, the combination of Dunagan and Harvey teaches the computer program storage medium of claim 31 wherein the computer process further comprises sending a plurality of routing policies to a sending node from a plurality of routing nodes in the overlay network (Dunagan, Paragraph [0077], Multiple subscription messages are received by the node becoming the new root node. The subscription messages denote routing policy to the node since it must now function as a root node.).

Regarding claim 36, the combination of Dunagan and Harvey teaches the computer program storage medium of claim 31 wherein the computer process further comprises identifying at least one routing policy based at least in part on the address in the message (Dunagan, Paragraph [0005], The node generates a routing policy by looking at the ID of the intended recipient, which is contained in the message.).

Regarding claim 37, the combination of Dunagan and Harvey teaches the computer program storage medium of claim 31 wherein the computer process further comprises applying a transport policy to the message after changing the address in the message (Dunagan, Paragraph [0016], After the last node in the first organization modifies the message it applies a transport policy by indicating that topic messages should be forwarded directly to it by the first node in the root organization to receive the subscription message).

Regarding claim 38, the combination of Dunagan and Harvey teaches the computer program storage medium of claim 31 wherein the computer process further comprises applying a transport policy to the message only after applying each identified routing policy to the message (Dunagan, Paragraph [0005], Routing policies are applied to the message along the routing path. Paragraph [0016], After the last node in the first organization modifies the message it applies a transport policy by indicating that topic messages should be forwarded directly to it by the first node in the root organization to receive the subscription message).

Response to Arguments

7. Applicant's arguments filed 03/21/2008 have been fully considered but they are not persuasive.

Applicant argues that Dunagan does not anticipate "generating a routing policy for a sending node based at least in part on the content of the message, wherein the routing policy comprises instructions for redirecting messages based at least in part on the content of the message." Examiner respectfully disagrees. Examiner asserts that a routing is the process of selecting paths along which to send data. A policy is a deliberate plan of action. Therefore a routing policy is information detailing where or how to send data. Paragraph [0005] of Dunagan describes how to forward messages to a node based on an ID contained in the message. The "instructions for redirecting messages" are the ID's of the nodes as taught in Dunagan, since they

are akin to saying "send data to x address." An instruction for redirecting a message would inform where or how to send a message, which is what Dunagan teaches in paragraph [0005].

Applicant argues that Dunagan does not teach "returning the routing policy to the sending node." Examiner respectfully disagrees. A routing policy is information detailing where or how to send data. Dunagan, in paragraph [0016], teaches a sending node receiving a message back that informs the where or how to send data (i.e. routing policy).

Applicant argues that Dunagan does not teach "forwarding the message to another node in the overlay network." Examiner respectfully disagrees as Dunagan teaches this in paragraph [0014] and paragraph [0005] which disclose sending messages to other nodes in the network.

Applicant argues that Dunagan does not teach "a routing table operatively associated with the routing node." Examiner respectfully disagrees. Please see fig. 2b of Dunagan which illustrates data stored at each node of a multicast dissemination tree including a forwarding table (i.e. routing table).

Applicant argues that Dunagan does not teach that the routing policy based on the content of the body of the message, however paragraph [0005] of Dunagan teaches this limitation when describing looking at the ID of the intended recipient, which is contained *in* the message.

Applicant's arguments regarding claim 15 and 25 are the same as the arguments regarding claim 1 which have been addressed above. Applicant also makes arguments directed at the dependent claims but in view the limitations of the independent claims, which have been addressed above.

Regarding applicant's arguments directed towards claims 7-14, 20-24, and 31-38, the examiner respectfully disagrees. Applicant's arguments towards the independent claims have

been addressed above with the exception of the following. Applicant's argues that the combination of Dunagan and Harvey does not teach "issuing the message directly to a destination node in the overlay network." Examiner respectfully disagrees. Examiner asserts that a destination is the place to which a thing travels to or is sent. A destination node would be a node to which data is sent. Dunagan teaches this in paragraph [0005], which discloses that a message is forwarded to the node.

Regarding claim 9, applicant argues that the combination of Dunagan and Harvey does not teach the node applying more than one routing policy to the message as recited in claim 9. Dunagan teaches this concept in paragraph [0016], in which the node applies a plurality of routing policies.

Applicant's arguments directed towards independent claims 20 and 31 have been addressed above. In particular, the issue of multiple routing policies has been addressed in reference to paragraph [0016] of Dunagan. Applicant argues that the subscription messages as referenced in paragraph [0077] of Dunagan do not denote routing policy, however when messages are sent, routing policy is generated based at least in part on content of the message as described in detail above.

Conclusion

5. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RYAN J. JAKOVAC whose telephone number is (571)270-5003. The examiner can normally be reached on Monday through Friday, 7:30 am to 5:00 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason D. Cardone can be reached on (571) 272-3933. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2145

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RJ

/Jason D Cardone/
Supervisory Patent Examiner, Art Unit 2145